


**Product Code . SEL-EELE-11185**

## Fibre-Optic Simplex Digital Transceiver Trainer



### Description

#### Fibre-Optic Simplex Digital Transceiver Trainer

#### Features:-




- Timer IC for square wave frequency generator.
- Three potentiometers to vary R (threshold resistance), R (input resistance) and frequency.
- Fiber optic digital transmitter @ 660nm.
- The board consists of the following built-in parts.
- Two isolated IC regulated D.C. power suppliers.
- Fiber optic digital receiver.
- Adequate no of other electronic components.
- Mains on/off switch, fuse and jewel light.

- The unit is operative on 230V  $\pm 10\%$  at 50Hz A.C. mains.
- Adequate no. of patch cords stackable 4mm spring loaded plug length  $\frac{1}{2}$  meter.
- Good Quality, reliable terminal/sockets are provided at appropriate places on panel for connections / observation of waveforms.
- Strongly supported by detailed operating instructions, giving details of object, theory, design procedures, report suggestions and book references.
- Dimension: W 340 x H 110 x D 210.
- Weight: 3 Kg. (approx).

We are leading manufacturers, suppliers of Fibre-Optic Simplex Digital Transceiver Trainer for Electronics Engineering Lab Equipments. Contact us to get high quality Fibre-Optic Simplex Digital Transceiver Trainer for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.

```
{ "@context": "https://schema.org/", "@type": "Product", "name": "Fibre-Optic Simplex Digital Transceiver Trainer", "image": "http://www.schooleducationalinstrument.com/images/catalog/product/1964861925Fibre-OpticSimplexDigitalTransceiverTrainerWithlogo.jpg", "description": "Fibre-Optic Simplex Digital Transceiver Trainer Features:- • Timer IC for square wave frequency generator. • Three potentiometers to vary R (threshold resistance), R (input resistance) and frequency. • Fiber optic digital transmitter @ 660nm. • The board consists of the following built-in parts. • Two isolated IC regulated D.C. power suppliers. • Fiber optic digital receiver. • Adequate no of other electronic components. • Mains on/off switch, fuse and jewel light. • The unit is operative on 230V  $\pm 10\%$  at 50Hz A.C. mains. • Adequate no. of patch cords stackable 4mm spring loaded plug length  $\frac{1}{2}$  meter. • Good Quality, reliable terminal/sockets are provided at appropriate places on panel for connections / observation of waveforms. • Strongly supported by detailed operating instructions, giving details of object, theory, design procedures, report suggestions and book references. • Dimension: W 340 x H 110 x D 210. • Weight: 3 Kg. (approx). We are leading manufacturers, suppliers of Fibre-Optic Simplex Digital Transceiver Trainer for Electronics Engineering Lab Equipments. Contact us to get high quality Fibre-Optic Simplex Digital Transceiver Trainer for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.", "brand": "School Lab Instrument", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "5" } }
```

School Educational Instruments,  
Hargolal Road, Ambala Cantt, Haryana India

Direct Contact Details  +91-8569909696  sales@schooleducationalinstrument.com  
 www.schooleducationalinstrument.com