



**Product Code . SEL-EELE-11261**

## **PLC with HMI Trainer**

### **Description**

---

#### **PLC with HMI Trainer**

#### **Technical Specifications Required:**

- Integrated power supply: 24 V/5 A DC.
- Working memory: 50 kilobytes.
- Programming language: STEP 7 or Equivalent.
- Processing times: 0.1 ?s.
- Ethernet/ProfiNet Interface.
- Integrated inputs and outputs.
- 14 Digital inputs, 24 V DC, via 4-mm safety sockets.
- 14 Latching push buttons for simulating digital inputs.
- 2 Analog inputs, 0...10 V, via 4-mm safety sockets.




- 
- 1 Potentiometer for simulating analog input.
  - 10 Digital outputs, 24 V DC, via 4-mm safety sockets.
  - 1 Analog output, 0..10V, via 4-mm safety sockets.
  - Real-time clock.
  - PROFIBUS Module.
  - Touch panel.
  - Fully graphical colour display.
  - 7" touch screen.
  - PROFINET Interface.
  - Operating voltage: 230 V AC.
  - Four-way Ethernet switch.
  - Software for PLC with HMI Trainer.

We are leading manufacturers, suppliers of PLC with HMI Trainer for Electronics Engineering Lab Equipments. Contact us to get high quality PLC with HMI Trainer for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.

{ "@context": "https://schema.org/", "@type": "Product", "name": "PLC with HMI Trainer", "image": "http://www.schooleducationalinstrument.com/images/catalog/product/659562001PLCwithHMITrainerWithhlogo.jpg", "description": "PLC with HMI Trainer Technical Specifications Required: • Integrated power supply: 24 V/5 A DC. • Working memory: 50 kilobytes. • Programming language: STEP 7 or Equivalent. • Processing times: 0.1 ?s. • Ethernet/ProfiNet Interface. • Integrated inputs and outputs. • 14 Digital inputs, 24 V DC, via 4-mm safety sockets. • 14 Latching push buttons for simulating digital inputs. • 2 Analog inputs, 0...10 V, via 4-mm safety sockets. • 1 Potentiometer for simulating analog input. • 10 Digital outputs, 24 V DC, via 4-mm safety sockets. • 1 Analog output, 0..10V, via 4-mm safety sockets. • Real-time clock. • PROFIBUS Module. • Touch panel. • Fully graphical colour display. • 7 touch screen. • PROFINET Interface. • Operating voltage: 230 V AC. • Four-way Ethernet switch. • Software for PLC with HMI Trainer. We are leading manufacturers, suppliers of PLC with HMI Trainer for Electronics Engineering Lab Equipments. Contact us to get high quality PLC with HMI Trainer for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.", "brand": "School Lab Instrument", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "5" } }

---

School Educational Instruments,  
Hargolal Road, Ambala Cantt, Haryana India

Direct Contact Details  +91-8569909696  sales@schooleducationalinstrument.com  
 www.schooleducationalinstrument.com

